


PETRI RACER






CdS EXPOSURE METER

Built-in CdS exposure meter, very sensitive and highly accurate, shows optimum exposure even in the dimmest light. The exposure meter indicator is visible in the viewfinder.




'GREEN-O-MATIC' VIEWFINDER

Petri's unique 'Green-O-Matic' viewfinder ensures correct composition and eliminates eye strain. The bright-line frame finder outlines the picture clearly and accurately. Focusing is extremely rapid and accurate by means of the coupled range finder, (which has a yellow spot in the centre of the viewfinder).



EXPOSURE CORRECTION

Petri Racer's exposure system works out all the exposure problems, even for difficult subjects such as landscapes with a vast expanse of sky; beach subjects when the light is reflected and dazzling; indoor portraits using window lighting. Usually with shots like these it is necessary to take light readings close to the subject, but the Petri Racer lets you shoot from where you stand—no delays—no mistakes!





EASY LOADING SYSTEM

Just slip the film into any slit on the spool and turn the film advance lever.

PETRI RACER

Just pick it up and compare it with other 35 mm cameras. The Petri Racer is 20% smaller and 30% lighter than the average 35 mm camera (only 18 oz.) yet it accepts any standard 35 mm film cassette. This new camera is the 35 mm format of the future—you can buy it now!

PETRI RACER... really compact, but it has every feature a fine 35 mm camera should have.



Fast f/1.8 (& f/2.8) 45 mm lens, 6 elements in 4 groups. Built-in 'Diamatic' CdS exposure meter. ASA: 20 to 800. DIN: 14 to 30. Shutter speeds: 1 sec. to 1/500 sec. and B, built-in selftimer.

PETRI AUXILIARY LENS SET

The set consists of Telephoto and Wide Angle Lenses and a matching viewfinder in zip case. Telephoto lens is very useful for long distance outdoor portraits and also with selftimer. Wide Angle Lens is almost indispensable for indoor groups when space is limited.



PETRI LENS HOOD


Recommended for taking shots against the light and for general outdoor photography. 57 mm slip-on type.



PETRI FILTERS

A complete range of filters is available from your dealer. 55 mm screw-in type.

For Black & White films:
Y1, Y2, YA3, R1, P00 and P01
For Colour films:
UV, W4, C4, C8, C12, 85C and
NDX4.



**Petri leads again with
the new Petri Racer,**
the neatest full-feature
35mm camera you can buy!



SPECIFICATION

TYPE :	35 mm camera with coupled built-in CdS Exposure Meter.
FILM :	35 mm film (20 or 36 exposures)
PICTURE SIZE :	24 mm × 36 mm
LENS :	PETRI 45 mm/F1.8 (or F2.8) combination coated and colour corrected. Component : 6 elements in 4 groups.
ANGLE OF VIEW :	51°
RANGEFINDER :	Helical focusing type. Coupled to rangefinder. "Green-O-Matic" viewfinder system with bright line frame finder and parallax correction marks.
NEAREST DISTANCE :	2.75 feet (0.8 meter)
EXPOSURE SYSTEM :	Zero method reflection type. Fully coupled "Diamatic Eye" CdS exposure meter with exposure correction mark for 'against-the-light' shots. Meter needle visible in the viewfinder.
FILM SPEEDS :	ASA from 20 to 800 DIN from 14 to 30
SHUTTER :	"PETRI MVE" shutter fully coupled to the built-in CdS exposure meter. Speeded from 1 to 1/500 second and B.
FILM TRANSPORT :	Rapid single stroke (120° drive) film transport lever with double exposure prevention system.
SYNCHRONIZATION :	M and X synchronization
FILM COUNTER :	Automatic resetting by opening the camera back.
FILTER SIZE :	55 mm screw-in type
LENS HOOD SIZE :	57 mm slip-on type
DIMENSIONS :	125 × 78 × 68 mm (4.9 × 3.1 × 2.7 inch)
WEIGHT :	18.4 OZ. (520 g)

DISTRIBUTED BY



PETRI® CAMERA COMPANY, INC.

TOKYO JAPAN

Printed in Japan PR 66-9-002 ©